

CABLINE®-CA II PLUG HOUSING ASS'Y

Part No. 20680-0**T-01

Packing Standard

4	S18090	April 16, 2018	M.Nakamura	T.Kurachi	Y.Shimada
3	S16797	December 13, 2016	T.Masunaga	-	J.Tateishi
2	S16492	July 26, 2016	T.Masunaga	-	J.Tateishi
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. 製品名称 (NAME) &製品番号 (ITEM) :

CABLINE-CA II CONN. PLUG HOUSING ASS'Y : 20680-0**T-01

2. 梱包材料 (PACKING MATERIAL)

芯数 (Pos.)	トレイ(TRAY) 20~50P: P/N 950268, 60P : P/N 950548				内装カートン (SHIPPING CARTON) P/N 950001	外装カートン (PACKING CARTON) P/N 950000
	外寸法 (MEASURE)	ポケット寸法 (POCKET WIDTH) 図 2 参照 (REFER FIG.2)	ポケット深さ (DEPTH)	ポケット数 (POCKET QTY.)		
20P	360×165	29.0×8.0	3.5	100 (TOTAL)	385×175×90 OUTER	406×406×214 OUTER
30P						
40P						
50P						
60P		32.0×8.0				

芯数 (Pos.)	ポリ袋(PLASTIC BAG) P/N 950524	乾燥剤(DESICCANT)
	サイズ(SIZE)	量(1 袋当たり) QUANTITY (1 BAG)
20P	460×305	3g×1
30P		
40P		
50P		
60P		

3. 梱包数量 (PACKING QTY.)

芯数 (Pos.)	入数／溝 (QTY. IN DITCH)	入数／トレイ (QTY. IN TRAY)	入数（トレイの数）／内装カートン QTY. IN SHIPPING CARTON (TRAY QTY.)	入数（内装カートンの数）／外装カートン QTY. IN PACKING CARTON (S CARTON QTY.)
20P	1	100	2000 (20 枚(TRAYS))	8000 (4 箱(BOXES))
30P				
40P				
50P				
60P				

4. 現品票 (LABEL)

20090909011300-00001		
P/N	①	CHECK
Q'TY	②	⑦
LOT	③	
	NAME: ④	REMARK
	MADE IN ⑤  	
DAI-ICHI SEIKO CO.,LTD.		

托盘

 05
 PP


①... Part number : Ex. 20680-040T-01

②... QTY.

③... Products lot No. :

It is constituted from ten figures. (See below.)

NN NN NN NNNN

A B C D

A : Last two figures of the Christian era (two figures)

B : Month (two figures)

C : Day (two figures)

D : It is cord number that I-PEX uses. (four figures)

Example : 150312J010

It means that the product was manufactured on Mar./12/2015

④... Item : Ex. CABLINE-CA II CONN. PLUG HOUSING ASS'Y

⑤... Production country

⑥... QR code

⑦... Check stamp

5. 梱包形態 (PACKING STYLE)

トレイに入れる製品の向き(Direction of products putting in tray.)




図 1 (Fig.1)


〔注記〕 トレイは同じ向きで重ね、蓋として空トレイを用いる。

(〔NOTE〕 Piling the tray to the same direction and putting a lid on the tray with empty tray.)



※ 金属シェルを下面にして梱包する事。

(Move metal shell downward, and pack it.)

OK



NG



Pos.	L
20P	29.0
30P	
40P	
50P	
60P	32.0

図 2 (Fig.2)




図 3 (Fig.3)

※小箱より製品を取り出す際に、輪ゴム部分を引き上げますとトレイが緩み製品脱落の恐れがあります。

取り扱いの際はご注意ください。

If operator pulls up the rubber band when they take out parts, there is possibility that tray bundle loosen and the parts drop out. Please note the taking up method.

